L Number	Hits	Search Text	DB	Time stamp
-	24	"5291311"	USPAT; US-PGPUB;	2004/04/28 11:30
		•	EPO; JPO;	
	•	"E74049E"	DERWENT	2004/04/27 00 75
-	2	"5768425"	USPAT;	2004/04/27 09:35
			US-PGPUB;	
			EPO; JPO;	
	1070	11. 114 / 1 44	DERWENT	2004/04/07 20 47
-	1978	bit adj1 (replac\$4 or replacement)	USPAT;	2004/04/27 09:43
		•	US-PGPUB;]
			EPO; JPO;	
i	70700		DERWENT	2004/04/27 00 40
-	32308	error same weight\$4	USPAT;	2004/04/27 09:42
		'	US-PGPUB;	
	,		EPO; JPO;	
			DERWENT	
-	17557	(upper or lower) near1 bit	USPAT;	2004/04/27 09:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	5	(bit adj1 (replac\$4 or replacement)) and (error same	USPAT;	2004/04/27 09:43
		weight\$4) and ((upper or lower) near1 bit)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	49247	(error same weight\$4) or ((upper or lower) near1 bit)	USPAT;	2004/04/27 09:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	618	(error same weight\$4) and ((upper or lower) near1 bit)	USPAT;	2004/04/27 10:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	64	remov\$4 adj4 lower adj3 bits!	USPAT;	2004/04/27 10:23
		Temoty rady rional adjourner	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	1	(remov\$4 adj4 lower adj3 bits!) same (replac\$6 adj4 lower	USPAT;	2004/04/27 10:14
	•	adj3 bits!)	US-PGPUB;	
		aujo bia.,	EPO; JPO;	
ļ		·	DERWENT	
_	102	replac\$6 adj4 lower adj3 bits!	USPAT;	2004/04/27 10:20
	102	Teplacio adj Hower adjo bis.	US-PGPUB;	200 0 27 10120
	!		EPO; JPO;	
			DERWENT	
_	6	(replac\$6 adj4 lower adj3 bits!) and (error and weight\$4)	USPAT;	2004/04/27 10:22
-	•	(Teplac so auj + lower auj > bis:) and (error and weights +)	US-PGPUB;	2004/04/27 10:22
·			EPO; JPO;	
			DERWENT	
	70447	ICD on (loose add significant add his)		2004/04/27 10:23
-	39443	LSB or (least adj1 significant adj1 bit)	USPAT;	2004/04/27 10:23
			US-PGPUB;	
			EPO; JPO;	
		16D (1 11 11 11 11 11 11 11 11 11 11 11 11	DERWENT	2004/04/07 10 01
•	54089	LSB or (least adj1 significant adj1 bit) or (lower near4	USPAT;	2004/04/27 10:24
		bit\$1s!)	US-PGPUB;	·
	1		EPO; JPO;	
			DERWENT	
-	1214		USPAT;	2004/04/27 10:44
		adj1 bit) or (lower near4 bit\$1s!))	US-PGPUB;	
			EPO; JPO;	
	1	1	DERWENT	1

-	49	((remov\$4 or replac\$6) near5 (LSB or (least adj1 significant adj1 bit) or (lower near4 bit\$1s!))) and (error same	USPAT; US-PGPUB;	2004/04/27 10:25
		weight\$4)	EPO; JPO; DERWENT	
-	260	((remov\$4 or replac\$6) near5 (LSB or (least adj1 significant	USPAT;	2004/04/27 10:33
		adj1 bit) or (lower near4 bit\$1s!))) and (error and weight\$4)	US-PGPUB; EPO; JPO;	
			DERWENT	
-	39930	dither\$4 or half\$1 ton\$4 or error\$1 diffus\$4 or error\$1 distribut\$4 or error\$1 differ\$4 or error\$1spread\$4	USPAT; US-PGPUB;	2004/04/27 10:36
		or (error near1 (differ\$4 or spread\$4 or distribut\$4 or	EPO; JPO;	
		propagat\$4)) with (multi\$1 value or multi\$1 level or	DERWENT	
 -	39803	multi\$1 tone or multi\$1 color or multi\$1 tonal) dither\$4 or half\$1 ton\$4 or error\$1 diffus\$4 or	USPAT;	2004/04/27 10:36
		error\$1distribut\$4 or error\$1differ\$4 or error\$1spread\$4	US-PGPUB;	
		or (error near1 (differ\$4 or spread\$4 or distribut\$4 or propagat\$4)) with (multi\$1 value or multi\$1 level or	EPO; JPO; DERWENT	
		multi\$1 tone or multi\$1 color or multi\$1 tonal) with bit	. DERWEINT	
-	281	(dither\$4 or half\$1 ton\$4 or error\$1 diffus\$4 or	USPAT;	2004/04/27 10:37
		error\$1distribut\$4 or error\$1differ\$4 or error\$1spread\$4 or (error near1 (differ\$4 or spread\$4 or distribut\$4 or	US-PGPUB; EPO; JPO;	
		propagat\$4))) with (multi\$1 value or multi\$1 level or	DERWENT	
	1641	multi\$1 tone or multi\$1 color or multi\$1 tonal) with bit (remov\$4 or replac\$6 or extract\$4) near5 (LSB or (least	USPAT;	2004/04/27 10:44
	1041	adj1 significant adj1 bit) or (lower near4 bit\$1s!))	US-PGPUB;	2001/01/2/10:11
,			EPO; JPO; DERWENT	
-	5	((dither\$4 or half\$1ton\$4 or error\$1diffus\$4 or	USPAT;	2004/04/27 10:47
		error\$1distribut\$4 or error\$1differ\$4 or error\$1spread\$4	US-PGPUB;	
		or (error near1 (differ\$4 or spread\$4 or distribut\$4 or propagat\$4))) with (multi\$1 value or multi\$1 level or	EPO; JPO; DERWENT	
		multi\$1tone or multi\$1color or multi\$1tonal) with bit) and		
		((remov\$4 or replac\$6 or extract\$4) near5 (LSB or (least adj1 significant adj1 bit) or (lower near4 bit\$1s!)))		
-	261	(345/600 or 345/616) and (345/616 or 358/(3.04	USPAT;	2004/04/28 09:05
		3.03 "465" "466") or 382/252)	US-PGPUB; EPO; JPO;	
			DERWENT	
-	276	(345/600 or 345/605) and (345/616 or 358/(3.04	USPAT; US-PGPUB;	2004/04/28 09:07
		3.03 "465" "466") or 382/252)	EPO; JPO;	
		(7.45//00 - 7.45//05) - 1.750/7.04 - 1.7745//1/	DERWENT	2004/04/28 00 10
-	0	(345/600 or 345/605) and 358/3.04 and (345/616 or 358/(3.03 "465" "466") or 382/252)	USPAT; US-PGPUB;	2004/04/28 09:10
		, , ,	EPO; JPO;	
_	0	(345/600 or 345/605) and 358/3.04 and (345/616 or	DERWENT USPAT;	2004/04/28 09:10
		358/(3.03 or "465" or "466") or 382/252)	US-PGPUB;	
			EPO; JPO; DERWENT	
-	276		USPAT;	2004/04/28 09:12
		3.04 or "465" or "466") or 382/252)	US-PGPUB;	
			EPO; JPO; DERWENT	
-	1	((345/600 or 345/605) and (345/616 or 358/(3.03 or	USPAT;	2004/04/28 09:10
		3.04 or "465" or "466") or 382/252)) and 358/3.03	US-PGPUB; EPO; JPO;	
	_		DERWENT	0004/04/05 55 55
-	0	((345/600 or 345/605) and (345/616 or 358/(3.03 or 3.04 or "465" or "466") or 382/252)) and 358/3.04	USPAT; US-PGPUB;	2004/04/28 09:11
			EPO; JPO;	
		19.79.70 DM Dago 2	DERWENT	

Search History 4/28/04 2:32:39 PM Page 2

	ı			
-	1	((345/600 or 345/605) and (345/616 or 358/(3.03 or 3.04 or "465" or "466") or 382/252)) and 358/3.03	USPAT; US-PGPUB;	2004/04/28 09:11
			EPO; JPO; DERWENT	
-	0	((0.10, 0.00.01.01.000)	USPAT;	2004/04/28 09:13
		3.04 or "465" or "466") or 382/252)) and (weight\$4 adj1 error adj1 (diffus\$4 or dispers\$4 or distribut\$4 or	US-PGPUB; EPO; JPO;	
		spread\$4))	DERWENT	
-	1	((345/600 or 345/605) and (345/616 or 358/(3.03 or 3.04 or "465" or "466") or 382/252)) and (weight\$4	USPAT; US-PGPUB;	2004/04/28 09:16
	·	near2 error near2 (diffus\$4 or dispers\$4 or distribut\$4 or	EPO; JPO;	(2)
_	1	spread\$4)) (358/3.03 or 358/3.04) and (345/600 or 345/605)	DERWENT USPAT;	2004/04/28 09:18
		(350, 5105 61 550, 616 1, 4114 (5 15, 666 61 5 15, 665)	US-PGPUB;	200 170 1720 07110
			EPO; JPO; DERWENT	
-	10	((flag or MSB or significant) near1 bit) near6 (photo\$5 or	USPAT;	2004/04/28 09:19
		(continuous near2 image) or picture or graphic\$3) near6 (text or character or font or symbol)	US-PGPUB; EPO; JPO;	
			DERWENT	
-	2528641	bits! or bytes! or digits! or signals! or indicator\$4 or address\$5	USPAT; US-PGPUB;	2004/04/28 11:30
		addiess#3	EPO; JPO;	
_	4440301	bit or byte or digit or signal or indicator\$4 or address\$5	DERWENT USPAT;	2004/04/28 11:30
-	1110301	Dit of Dyte of digit of signal of mulcator \$4 of address\$5	US-PGPUB;	2001/01/2011:50
			EPO; JPO; DERWENT	
-	5817657	compress\$4 or delet\$4 or extract\$4 or remove\$4 or	USPAT;	2004/04/28 11:31
		replac\$4 or shift\$4 or suppress\$4	US-PGPUB; EPO; JPO;	
			DERWENT	
-	7644445	kind or type or character or photo\$6 or image or category or test	USPAT; US-PGPUB;	2004/04/28 11:31
		or test	EPO; JPO;	
	8543945	low\$4 or least or insignificant	DERWENT USPAT;	2004/04/28 11:49
	. 0373773	10W \$ 4 Of feast of hisignificant	US-PGPUB;	200 1/0 1/20 11:17
			EPO; JPO; DERWENT	
-	18086	LSB	USPAT;	2004/04/28 11:32
			US-PGPUB; EPO; JPO;	
		į.	DERWENT	
-	10717	((((kind or type or character or photo\$6 or image or category or test) near (bits! or bytes! or digits! or signals! or	USPAT; US-PGPUB;	2004/04/28 11:44
		indicator\$4 or address\$5)) or LSB) near6 (bit or byte or	EPO; JPO;	
		digit or signal or indicator\$4 or address\$5)) with (compress\$4 or delet\$4 or extract\$4 or remove\$4 or	DERWENT	
		replac\$4 or shift\$4 or suppress\$4)		
-	589775	((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal))	USPAT; US-PGPUB;	2004/04/28 11:41
		and @ad < 20000919	EPO; JPO;	
			DERWENT	

(((((kind or type or character or photo\$6 or image or category or test) near (bits! or bytes! or digits! or signals! or indicator\$4 or address\$5)) or LSB) near6 (bit or byte or digit or signal or indicator\$4 or address\$5)) with (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) ((((low\$4 or least or insignificant) near5 (bit or byte or character or photo\$6 or image or category or test) and ((((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((ad (aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((ad (aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((ad (aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((ad (aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (ad (ad (ad (ad (ad or address\$5))) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or parameter	
indicator\$4 or address\$5)) or LSB) near6 (bit or byte or digit or signal or indicator\$4 or address\$5)) with (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or ender\$6 (compress\$4 or delet\$4 or extract\$6 (or more the proof of the proof	
digit or signal or indicator\$4 or address\$5)) with (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signall)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) ((((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (((aberrat\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type o	
replac\$4 or shift\$4 or suppress\$4)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) 3946 (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) ((((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or remove\$4 or remove\$4 or remove\$4 or or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or remove\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal) near5 (weight or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or remove\$4 or remove\$5 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or replac\$4 or shift\$4 or suppress\$4)) near7 (
noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (@ad < 20000919) 3946 (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and (@ad < 20000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near5 (kind or type or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
parameter or coefficient or data or signal)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
@ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5)) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O(((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
- 3946 ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) - 1475 (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and ((((aberrat\$4 or noise or error or disper\$5 or correct\$5)) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) - 0 (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	:58
replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) ((((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O(((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
character or photo\$6 or image or category or test) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O(((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
- ((((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 2000919) O ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	·11
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 2000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
replac\$4 or shift\$4 or suppress\$4)) with (kind or type or character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
character or photo\$6 or image or category or test)) and (((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
(((aberrat\$4 or noise or error or disper\$5 or correct\$5) near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) O ((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
near5 (weight or parameter or coefficient or data or signal)) and @ad < 20000919) (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
and @ad < 20000919) ((((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT)	
- O (((((low\$4 or least or insignificant) near5 (bit or byte or digit or signal or indicator\$4 or address\$5)) or LSB) near6 (Compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
digit or signal or indicator\$4 or address\$5)) or LSB) near6 (compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	2:1 9
replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
character or photo\$6 or image or category or text)) same	
(((aberrat\$4 or noise or error or disper\$5 or correct\$5)	
near5 (weight\$4 or parameter or coefficient or data or	
signal)) and @ad < 20000919)	
- 958 (((((low\$4 or least or insignificant) near5 (bit or byte or USPAT; 2004/04/28 1	2:17
digit or signal or indicator\$4 or address\$5)) or LSB) near6 US-PGPUB;	
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or EPO; JPO;	
replac\$4 or shift\$4 or suppress\$4)) near7 (kind or type or DERWENT	
character or photo\$6 or image or category or text)) and	
(((aberrat\$4 or noise or error or disper\$5 or correct\$5)	
near5 (weight\$4 or parameter or coefficient or data or	
signal)) and @ad < 20000919)	
- 1364 (((((low\$4 or least or insignificant) near5 (bit or byte or USPAT; 2004/04/28 1	2.10
digit or signal or indicator\$4 or address\$5)) or LSB) near6 US-PGPUB;	1 7
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or EPO; JPO;	
character or photo\$6 or image or category or text)) and	
(((aberrat\$4 or noise or error or disper\$5 or correct\$5)	
near5 (weight\$4 or parameter or coefficient or data or	
signal)) and @ad < 20000919)	
- 282 (((((low\$4 or least or insignificant) near5 (bit or byte or USPAT; 2004/04/28 1	2:22
digit or signal or indicator\$4 or address\$5)) or LSB) near6 US-PGPUB;	
(compress\$4 or delet\$4 or extract\$4 or remove\$4 or EPO; JPO;	
replac\$4 or shift\$4 or suppress\$4)) near8 (kind or type or DERWENT	
character or photo\$6 or image or category or text)) same	
(((aberrat\$4 or noise or error or disper\$5 or correct\$5)	
near5 (weight\$4 or parameter or coefficient or data or	
signal)))	
- 188 (((((low\$4 or least or insignificant) near5 (bit or byte or USPAT; 2004/04/28 1	
digit or signal or address\$5)) or LSB) near6 (compress\$4 or US-PGPUB;	· 2:24
delet\$4 or extract\$4 or remove\$4 or replac\$4 or EPO; JPO;	· 2:24
suppress\$4)) near8 (kind or type or character or photo\$6 or DERWENT	· 2: 24
image or category or text)) same (((aberrat\$4 or noise or	· 2: 24
error or disper\$5 or correct\$5) near5 (weight\$4 or	∑: 24
parameter or coefficient or data or signal))) and	2: 24
@ad < 2000919	· 2:24
Search History 4/28/04 2:32:39 PM Page 4	· 2:24

Search History 4/28/04 2:32:39 PM Page 4

r . . .